





Ø 10 mm - 16 mm - 19 mm - 25 mm - 32 mm

Create smooth, long-lasting curls with the extra-long DIGICURL wands featuring long length KERATIN LUSTRE barrel and up to 210°C high heat. The advanced heating system delivers precision-regulated temperatures and instant heat transfer for fast, long-lasting results.

Keratin Lustre

The DIGICURL wands features keratin infused ceramic heating barrels. This technology gives hair smoothness and shine.

Extra-long heating barrels

The perfect tools for use on long to very long hair. The extra-long heating barrel offers 60% more heating and curling surface! Really time-saving! Very long hair can be wrapped around the barrel without overlap.

Control, safety and total freedom of expression

The DIGICURL wands do not feature any clamp for a total freedom of creation while in use.

There are 11 temperature settings to select from 160°C to 210°C for enhanced heat protection on all hair types.







The LCD screen allows to control the selected temperature level. The temperature on the display will flash while the iron is heating up to the selected temperature. When the selected temperature has been reached, the temperature display will stop flashing.

The DIGICURL wands have an automatic shut off feature for added safety. If the appliances are switched on for more than 72 minutes continuously, then they will automatically switch off.



They come with a smart and refined heat protection wrap which allows safe storage till the next use.

Features

- * Extra-long length barrel with KERATIN LUSTRE technology
- * Advanced heating system delivers precision-regulated temperature control
- * Fast heat up and instant heat recovery
- * High heat performance up to 210°C
- * 11 digital temperature settings
- * Cool tip
- * Protective stand
- * Auto shut-off for added safety
- * Salon length 3m swivel cord
- * Heat mat with storage compartment for convenience and safety
- * Heat protection glove







5 Sizes for unlimited possibilities

Ø 10 mm BAB2910E	3030050152982
Ø 16 mm BAB2911E	3030050152876
Ø 19 mm BAB2912E	3030050152890
Ø 25 mm BAB2913E	3030050152883
Ø 32 mm BAB2914E	3030050152906



